




**GENERAL LAYOUT** 

		Date
Designed	Swanberg	
Drawn	Axell	
Checked	Pearson	2/05
Approved	Brach	3/05







### GENERAL

This plan set shows details for three (3) composting bins. Additional bins may be added by duplicating the center concrete bins and roofing details.

0.8 was a 33.6 psf. This composting facility roof was designed based on a 90mph wind load and a 42 psf. snow load. An importance factor of 0.8 was applied to the snow load resulting in a design load of

Concrete Wall Loading Inside Load: 0 to 6 ft., 60 Outside Load: 0 to 5 ft.,

) psf/ft 85 psf/ft (low ♂ med plasticity ጵ

## CONSTRUCTION NOTES

All operations shall be carried out in a safe manner. Safety and health regulations shall and appropriate safety measures used. and skillful be observed

Construction operations shall be carried out in such manner and sequence that erosion, air and water pollution will be minimized and held within tolerable limits.

The foundation area shall be cleared of trees, logs, stumps, roots, brush, boulders, sod, debris, structures, fences and frozen soil. Topsoil shall be stockpiled if needed for vegetaion establishment. After stripping the foundation shall be excavated as needed to allow the placement of the 6" gravel layer. The resulting subgrade shall structurally uniform with no zones of soils that may cause differential settlement. The installed gravel shall be compacted by at least two passes of a vibrating plate compactor. The resulting gravel surface shall be level and uniform.

Bottom course steel reinforcing bars shall be held in their final intended position by the use of chairs manufactured for that purpose or concrete blocks with the same properties as the concrete to be placed.

A concrete slab as shown on the drawings shall be installed in front or the composter unless otherwise shown. In the absence of a concrete slab, the area in front of the composter shall be compacted earth with a 6" gravel surface.

Post bases shall be cast into the concrete walls. The tops the walls need to be level and the post bases spaced as shown on the drawings for the lumber dimensions to fit as shown.

Purlin joints will be staggered over rafters and overlapped. Overlapping purlins shall be nailed together with six (6) 10d RS Purlins will be attached to rafters, on edge, with manufactured purlin ties. Two purlin ties shall be used at overlapped purlin locations, one tie on the end, single purlin locations. All purlin ties shall be installed on the up slope (peak side) of the purlins. nails.

Bolts shall be centered on single bolt connections. On multiple bolt connections the bolts shall follow the details as shown on the drawings. All bolts are 5/8" in diameter and shall utilize washers on both ends and a nut. Bolts hole diameter shall be 1/32" to 1/16" larger than bolt diameter. Minimum clearance from center obolt hole to edge of member is 1.5".

Metal roofing shall be installed following recommendations. the manufacturers

## VEGETATION

All disturbed areas shall be and reseeded. Topsoil shall graded to drain away from structure be added, if needed, to establish ve vegetation.

## MATERIALS

PANELS  CONCRETE  STEEL REINFORCEMENT  GRAVEL  MISCELLANEOUS  POLYURETHANE ADHESIVE (one part)	NAILS	HARDWARE 6x6 POST BASES 4x4 POST BASES KNEE BRACE HANGERS BEAM TOP STRAPS PURLIN TIES BOLTS w/NUTS & WASHERS	
part)	8d × 1.5" 10d × 1.5" 6d (2") 8d RS (2.5") 10d RS (3") 16d RS (3.5")	USP WE66 or Simpson PB66 USP KCC44-HD6 or Simpson CC44-HD6 or Simpson LSSU210 or Simpson LSSU210 USP MSTA36 or Simpson MSTA36 USP RT3 or Simpson H3 5/8"	treated treate
		ගුණු	LENGTH  8'-0"  6'-5 1/8"  16'-0 1/8"  6'-0"  16'-0"  1-0"  16'-0"  16'-0"  5'-0"  16'-0"  5'-0"  18'-10"  5'-0"  18'-10"  5'-0"  18'-10"  5'-0"  18'-10"  5'-0"  18'-10"  5'-0"  18'-10
813 ft <sup>2</sup> 33.5 CY 2232 lbs 10 CY 59 oz.	528 56 128 52 132	28 6 0 0 4 0 -	16 8 12 33 BINS See 16 16 16 16 16 16 16 16 16 16 16 16 16
961 ft. <sup>2</sup> 43.7 CY 2935 lbs 13 CY 81 oz.	704 70 160 52 198 206	310 88 10 10 5 10 C	QUANTITIES column w/checked  4 BINS 5 BINS 5 6 5 6 10 12 10 12 10 12 10 12 10 55 4 4 4 10 12 10 55 4 4 4 10 12 10 12 10 72
1197 ff. <sup>2</sup> 54.0 CY 3908 lbs 16 CY 102 oz.	880 844 192 52 264	12 12 12 12 12 12 12 12 12 12 12 12 12 1	
1434 ft? 64.3 CY 4312 lbs 19 CY 123 oz.	1056 98 224 52 330 282	7 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	box  6 BINS  7 14 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4

<u>LUMBER</u> Lumber sizes shown to be provided shall above are nominal. be the dressed size Actual sizes as follows.

6×6 - 5 1/2" × 5 1/2" 4×4 - 3 1/2" × 3 1/2" 2×8 - 1 1/2" × 7 1/4" 2×6 - 1 1/2" × 5 1/2" 2×4 - 1 1/2" × 3 1/2" 1×4 - 3/4" × 3 1/2"

All lumber will be No. 2 Douglas Fir — Larch, No. 2 Southern Pine, or better. 1x4, 2x6 & 2x8 lumber shall be kiln dried to 19% moisture content or drier. Posts, X—braces and 4x4 braces shall be CCA or ACQ treated.

HARDWARE
All nails, bolts, washers, and nuts shall
Galvanized after fabrication or Stainless Commercially manufactured structural connectors shall be using the number and type of fasteners specified by the manufacturer. be either Hot Steel. Nails ı t Dipped marked

METAL ROOFING will be 29 gauge steel and galvanized. Metal roofing will be 29 gauge steel and galvanized. Metal roofing shall consist of panels long enough to reach from under the ridge cap to 6" beyond the eave, eliminating any horizontal joints. Panels shall have an allowable uniform inward load of 55 psf or more for a 2.5' span over 3 or more equal spans resulting in a maximum deflection ratio of L/180 of the span.

CONCRETE\_
The concrete shall conform to Minnesota NRCS Specification 31, Reinforced Concrete.

concrete shall have a 28 day Compressive 4000 pounds per square inch.

약 볼

# STEEL REINFORCING BARS See sheet 3 for the steel schedule. fy = 60,000 psi.

Gravel shall meet MNDOT standards for

Class

Drawing Number MN—ENG—616

ВS

United States Department of Agriculture

ANIMAL MORTALITY COMPOSTING FACILITY  $10^{\circ}W \times 14^{\circ}L \times 6^{\circ}H$  BINS MATERIALS LIST & CONSTRUCTION NOTES

		Date
Designed	Swanberg	
Drawn	Swanberg	
Checked	Pearson	2/05
Approved	Brach	3/05